Le Grand Marché du Sol

TECHNICAL DATA SHEET EN

Issued 04-03-2026

MULTILAYER WOOD FLOORING

Farm 190 Click

Applies to Leroy Merlin refs: 75378351 75377928 75378164

Product specifications

Multilayer parquet	EN 13489	DoP PQ2021-1
Size	Plank	190 × 500-1900 × 14(3) mm
	Box	8 planks / 2,888 m² / 21,5 kg
	Full planks	5
	Pallet	40 boxes / 115,52 m² / 910 kg
Density	EN 323	± 600 kg/m³
Installation		Drop Lock
Top layer		European oak (Quercus robur)
Core		Poplar (Populus spp.)
Counter balance		Poplar (Populus spp.)
Grading		Rustic B+
Texture		Brushed & Scraped
Bevel		Aged bevel 4V
Gloss level at 60°		5-7 %
Finishing		UV Oil (Pure colour), Oxidative Oil (other colours)
Warranty conditions	Residential warranty Commercial warranty	20 years upon request
Use class	EN 13489	Class 23 Heavy domestic use 

Product properties

PROPERTY	TEST METHOD	MIN. REQ.	RESULT
Indoor air certifications			REACH, A
Reaction to fire	EN 13501-1		DfI-s1
Slip resistance	CEN/TS 15676		Low risk
Formaldehyde emission	EN 717-1	≤ 0.124 mg/m³	E1
Pentachlorophenol content	CEN/TR 14823	< 5 ppm	Does not contain pentachlorophenol
Underfloor heating	EN 12664	R < 0.15 m²K/W	R = 0.11 m²K/W OK (max +28°C) + glued
Biological durability			Class 1

GRADING **Rustic B+**

Grading description

Texture	Brushed & Scraped
Grading	Very rustic
Colour variation	High
Sound knots	Allowed unlimited
Unsound knots	Partially filled
Sapwood	Allowed unlimited
End crack	Allowed unlimited
Surface crack	Allowed unlimited
Insect hole	< 3 mm; 8/400mm partially filled
Decay	Not allowed
Blue/yellow stain	Allowed
Sound heart	Allowed
Machine marks	Not allowed



This picture is an indication of the grading as described.

Scale from (rigid) parquet without knots up to planks with more and larger knots

10 / 10

From little colour variation/sapwood to bigger colour variation/sapwood

10 / 10

Cleaning and maintenance instructions: legrandmarchedusol.com

CE
EN 14342